

XenServer 7.1 Release Notes

Welcome to XenServer 7.1. This document provides important information about the XenServer 7.1 release.

XenServer 7.1 is available in two commercial editions:

- Standard Edition
- Enterprise Edition

XenServer 7.1 is available to download from the [XenServer Product Download page](#).

New Features and Improvements in XenServer 7.1

XenServer 7.1 introduces enhanced features and functionality for application, desktop and server virtualization use cases. Major themes for this release are simplified maintenance, enhancements to Citrix Provisioning Services (PVS) and support for Nutanix Hyperconverged Infrastructure.

All XenServer 7.1 features are now available to all licensed XenApp/XenDesktop customers.

PVS-Accelerator Enterprise Edition

Citrix XenServer and Citrix XenApp/XenDesktop development teams have jointly developed and enhanced the existing Provisioning Services (PVS) solution to maximize the benefits customers receive from their Citrix Application and Desktop Delivery solutions.

The new PVS-Accelerator feature dramatically reduces network traffic in XenApp and XenDesktop deployments in order to achieve greater virtual server and desktop density, faster boot times during boot storms, and overall improved server and desktop performance.

This feature is available when PVS 7.13 is used in conjunction with XenServer 7.1.

XenServer Nutanix Integration

We have worked closely with Nutanix to seamlessly integrate XenServer into the Nutanix Hyperconverged Infrastructure product. This is available within the Nutanix AOS 5.0 Tech Preview release, and enables Nutanix customers to leverage the unique capabilities of XenServer.

Automated Updates Using XenCenter Enterprise Edition

The *Install Update* wizard in XenCenter has got a whole lot smarter, automatically determining which hotfixes are required to bring a pool up-to-date and enabling customers to update multiple pools in a single pass of the wizard.

XenServer Live Patching Enterprise Edition

In an industry-first, XenServer delivers the ability to seamlessly apply patches to a running system without requiring host reboots.

This capability will be applicable for select Linux kernel and Xen hypervisor hotfixes, which will consist of both a live patch, which will be applied to the Control Domain (Dom0) memory of the host, as well as a hotfix to update the disk image of the host (through the Automated Updates mechanism). This ensures that following any future reboots, the applied patches persist.

Long Term Service Release (LTSR)

As a Long Term Service Release, XenServer 7.1 is available with a 10-year servicing option, comprised of 5 years of standard support, plus an optional 5 years of extended support.

Additional XenCenter Improvements

- vCPU Hotplug for Linux VMs Standard and Enterprise Editions
- Ability to change the Control Domain (Dom0) memory using XenCenter

Performance Improvements

- Improved SMB performance Enterprise Edition
- Significant reduction in the time taken for VM Import/Export operations

Support for New Guests

XenServer 7.1 supports the following new guest operating systems:

- Windows Server 2016
- SLES 11 SP4
- CentOS 6.8, 7.3
- RHEL 6.8, 7.3
- Oracle Linux 6.8, 7.3
- Scientific Linux 6.8
- NeoKylin Linux Advance Server 6.5
- NeoKylin Linux Advance Server 7

Platform Updates

This release also incorporates the following core platform updates:

- Xen hypervisor v4.7.1
- Dom0 Linux Kernel v4.4

Support for New Processors

- Intel Skylake-H processor

XenServer Conversion Manager Updates Enterprise Edition

- Ability to convert VMs running on VMware ESXi and vSphere hosts
- Support for converting Linux guest operating systems

Interoperability with Citrix Products

XenServer 7.1 is interoperable with Citrix XenApp/XenDesktop 7.6, 7.12 and 7.13.

Localization Support

The localized version of XenCenter (Simplified Chinese and Japanese) is also available in this release.

Installation and Upgrades

Before beginning installation, customers should review the system requirements and installation instructions detailed in the [XenServer 7.1 Installation Guide](#).

Licensing

Customers should upgrade their Citrix License Server to version 11.13.1.2 or higher in order to use the XenServer 7.1 licensed features.

Note: Customers wishing to use the PVS-Accelerator feature are required to upgrade their License Server to 11.14.

For more information about XenServer 7.1 licensing, see [XenServer 7.1 Licensing FAQ](#).

Product Documentation

To access XenServer 7.1 product documentation, see [XenServer 7.1 Product Documentation](#).

For frequently asked questions about XenServer, see [XenServer 7.1 Technical FAQ](#).

Documentation may be updated or changed after the initial release. We suggest that you regularly visit the [XenServer 7.1](#) page on [Citrix Product Documentation](#) to learn about updates.

Advisories and Known Issues

The following section details advisories and minor issues with this release and any workarounds that can be applied.

Graphics Support

IMPORTANT:

NVIDIA **does not** support the use of K1 or K2 cards with XenServer 7.1. This reflects NVIDIA's announcement that from December 2016, no new hypervisor versions or guest operating systems will be supported with these cards.

Customers who wish to use K1 or K2 cards should continue to use XenServer 7.0, which is supported until May 2021.

Newer NVIDIA Maxwell cards are fully supported in XenServer 7.1.

- Intel GVT-g is now supported on Intel Skylake processors.
- XenServer hosts with large amounts of RAM that use Intel Xeon v4 or higher processors may encounter unexpected crashes when performing certain operations such as concurrently rebooting multiple vGPU-enabled VMs. To work around this issue, add `ept=no-pml` to the Xen command line and reboot the host. For more information, see <https://support.citrix.com/article/CTX220674>.

General

- After upgrading a XenServer host from a previous version to XenServer 7.1, Windows VMs with XenServer Tools installed may incorrectly report as not having the XenServer Tools installed, or display some of the functionalities as unavailable. To work around this issue, install XenServer Tools issued with XenServer 7.1.
- Enabling Active Directory (AD) authentication on a domain controller that has only one vCPU can fail. To resolve this issue, ensure that the AD domain controllers have at least two vCPUs.
- When you import a Windows VM from an ESXi server to XenServer, the IPv4/IPv6 network settings can be lost. To retain the network settings, reconfigure the IPv4/IPv6 settings after completing the conversion.
- After downloading an update from the Citrix Support website, attempts to upload the zip file without unpacking the ISO, or uploading an incomplete ISO file to a pool of XenServer hosts can fail with `VDI_IO_ERROR - Device I/O errors`. To resolve this issue, ensure that you have completely downloaded the zip file and unpack the ISO **before** attempting to upload the update to the XenServer pool.

- If a pool's CPU feature set changes while a VM is running (for example, when a new host is added to an existing pool, or when the VM is migrated to a host in another pool), the VM will continue to use the feature set which was applied when it was started. To update the VM to use the pool's new feature set, the VM must be powered off and then started. Rebooting the VM, for example, by clicking 'Reboot' in XenCenter, does not update the VM's feature set.
- After migrating Container Managed VMs between pools, the Container Management functionality stops working for the VMs. This is because Container Management is implemented using a pool-specific key. To work around this issue, the VM-specific preparation step for "Container Management" needs to be repeated on the new pool. This means:
 - For CoreOS, the Cloud Config Drive needs to be updated by changing the Config Drive configuration in the VM preferences.
 - For RHEL/CentOS/OL 7 and Ubuntu, the `xscontainer-prepare-vm` needs to be re-run. Note that even if the preparation-step is repeated, the old XenServer pool may keep access to the VMs.
- Renaming a container does not trigger the Container Management view to update. Additionally, on Ubuntu 14.04, the pause or unpause of a container from outside XenCenter does not trigger the view to update. This may mean that XenServer may not show the current (renamed/paused/unpaused) container-status. The underlying cause is that the view only gets refreshed following Docker event notifications. As a workaround, the refresh can be triggered manually by performing an action (that is, start, stop) on an unrelated container that is running on the same VM.

Internationalization

- Non-ASCII characters, such as characters with accents, cannot be used in the host console.
- XenServer root passwords must not contain non-ASCII characters.

Hardware Compatibility

- Customers should refer to the XenServer [Hardware Compatibility List \(HCL\)](#) for the most recent additions and advice for all hardware compatibility questions.

Storage

- XenServer does not offer fully integrated support for SMB Continuous Availability shares. In certain scenarios where an SMB Continuous Availability master node fails, the SMB SR may become unresponsive and requires a host reboot.
- When using Nutanix SRs, the two VDIs (previously used for the HA statefile and pool metadata) that remain after disabling HA will not be reused if HA is subsequently re-enabled. Customers can safely delete these VDIs.
- When the default SR of a XenServer host or a pool is in a disconnected state, attempts to upload an update to that SR can fail.

- It is not possible to attach storage provided by Microsoft iSCSI Software Target versions 3.2 or 3.3. However, attempts to attach storage provided by iSCSI Target Server included in Windows Server 2012 and later will succeed.

Networking

- If you have installed XenServer 7.0 using FCoE Boot-from-SAN, performing a Rolling Pool Upgrade (RPU) to upgrade XenServer 7.0 to XenServer 7.1 fails with the error: `Could not locate the installation specified to be reinstalled`. To work around this issue, upgrade the XenServer host using the XenServer installation media or by using PXE boot with an answerfile.
- In some cases, booting a XenServer host from FCoE SAN using software FCoE stack can cause the host to become unresponsive due to a temporary link disruption in the host initialization phase. If the host appears to be in an unresponsive state for a long time, reboot the host to resolve this issue.
- XenServer does not prevent users from unplugging a NIC used by the FCoE SR.

XenCenter

- Modifying the font size or DPI on the computer on which XenCenter is running can result in the user interface displaying incorrectly. The default font size is 96 DPI; Windows 8 and Windows 10 refer to this as 100%.

Guests

- XenServer's use of new hardware security features may reduce the overall performance of 32-bit PV VMs. Customers impacted by this issue can either:
 - Run a 64-bit version of the PV Linux VM, or
 - Boot Xen with the `{{no-smep no-smap}}` option. Note that we do not recommend this option as it can reduce the depth of security of the host.
- When you export a PVS-Accelerator enabled VM to OVF and then try to import it in the same pool, the PVS-Accelerator settings can be lost. Therefore, the settings are not enabled on the VM and not saved in the OVF appliance during the export. To resolve this, enable PVS-Accelerator on the imported VM using XenCenter or the `xe CLI`.
- The console screen on HVM Linux guests can go blank after a period (typically ten minutes) of inactivity. You can work around this issue by adding `consoleblank=0` to the kernel boot parameters of the guest. Consult your guest OS documentation for information about updating the kernel boot parameters.

About Citrix

Citrix (NASDAQ:CTXS) is leading the transition to software-defining the workplace, uniting virtualization, mobility management, networking and SaaS solutions to enable new ways for businesses and people to work better. Citrix solutions power business mobility through secure, mobile workspaces that provide people with instant access to apps, desktops, data and communications on any device, over any network and cloud. With annual revenue in 2015 of \$3.28 billion, Citrix solutions are in use at more than 400,000 organizations and by over 100 million users globally. Learn more at www.citrix.com.

The copyright in this report and all other works of authorship and all developments made, conceived, created, discovered, invented or reduced to practice in the performance of work during this engagement are and shall remain the sole and absolute property of Citrix, subject to a worldwide, non-exclusive license to you for your internal distribution and use as intended hereunder. No license to Citrix products is granted herein. Citrix products must be licensed separately. Citrix warrants that the services have been performed in a professional and workman-like manner using generally accepted industry standards and practices. Your exclusive remedy for breach of this warranty shall be timely re-performance of the work by Citrix such that the warranty is met. THE WARRANTY ABOVE IS EXCLUSIVE AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE WITH RESPECT TO THE SERVICES OR PRODUCTS PROVIDED UNDER THIS AGREEMENT, THE PERFORMANCE OF MATERIALS OR PROCESSES DEVELOPED OR PROVIDED UNDER THIS AGREEMENT, OR AS TO THE RESULTS WHICH MAY BE OBTAINED THEREFROM, AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR AGAINST INFRINGEMENT. Citrix's liability to you with respect to any services rendered shall be limited to the amount actually paid by you. IN NO EVENT SHALL EITHER PARTY BE LIABLE TO THE OTHER PARTY HEREUNDER FOR ANY INCIDENTAL, CONSEQUENTIAL, INDIRECT OR PUNITIVE DAMAGES (INCLUDING BUT NOT LIMITED TO LOST PROFITS) REGARDLESS OF WHETHER SUCH LIABILITY IS BASED ON BREACH OF CONTRACT, TORT, OR STRICT LIABILITY. Disputes regarding this engagement shall be governed by the internal laws of the State of Florida.

LINKS TO THIRD PARTY SITES. These release notes may contain links to web sites controlled by parties other than Citrix. Citrix is not responsible for and does not endorse or accept any responsibility for the contents or use of these third party web sites. Citrix is providing these links to you only as a convenience, and the inclusion of any link does not imply endorsement by Citrix of the linked web site. It is your responsibility to take precautions to ensure that whatever you select for your use is free of viruses or other items of a destructive nature.

Copyright © 2017 Citrix Systems, Inc. All rights reserved.

Citrix and Xen are registered trademarks. XenServer and XenCenter are trademarks of Citrix Systems, Inc. in the United States and other countries.

All other product names, company names, marks, logos, and symbols are trademarks of their respective owners.

851 West Cypress Creek Road
Fort Lauderdale, FL 33099
954-267-3000
www.citrix.com